

Addendum #1



Capital Project Committee

Project Information

| | |
|------------------|---------------------------------|
| Project Name: | Bi-Directional Radio Amplifiers |
| Date: | July 31, 2019 |
| Project Manager: | Shantelle Griego |

Addendum Items

| | |
|----------|---|
| Item 1: | Information from pre-bid meeting - Attached |
| Item 2: | |
| Item 3: | |
| Item 4: | |
| Item 5: | |
| Item 6: | |
| Item 7: | |
| Item 8: | |
| Item 9: | |
| Item 10: | |
| Item 11: | |
| Item 12: | |
| Item 13: | |
| Item 14: | |
| Item 15: | |

Addendum to quote specifications (Specification 6) for Burlington Police BDA.

18SHS19NER Project 5, Equipment Line 1

Performance specifications

1. Bi-Directional Amplifier systems must be designed and installed as complete systems providing full functionality.
2. Each system must provide the BDA unit, exterior donor antenna, interior antennas, and connection to the building power supply as need to provide coverage, cables and related equipment.
3. All equipment must be new and of current production by a national firm that manufactures BDA systems.
4. These BDAs must be designed and installed in accordance with the Electrical Codes adopted by the counties involved and the State of Colorado, NFPA 72, and applicable industry standards.
5. A minimum of two-year equipment and one-year installation warranty must be provided.
6. **Exterior donor antenna location and mounting must take into consideration construction features that will not allow direct attachment to roof structure.**