

Attach 22x34 exhibit showing the detention pond and as-built spot elevations

## **DETENTION CERTIFICATION**

	Date:		
Subdivision Name			
Drainage Report Title &	k Date		
Location of Detention /	Number		
DETENTION PONDS	5		
Does this certification i (If no, skip to undergrou	Yes	No	
Orifice Diameter (inche	es) or Height of Opening (inches)		
WQ (Water Quality) Pl	ate Holder Diameter (inches)		
WQ Plate No. of Colum	nns		
WQ Plate No. of Holes	per Column		
Outlet Box Invert Eleva	ation (feet)		
Top of WQCV (Water	Quality Capture Volume) Elevation (feet)		
Spillway Elevation (fee	t)		
Spillway Width (feet) _			
Side Slopes	North: H       V         South: H       V         East: H       V         West: H       V		
Has a trash rack been installed and bolted?		Yes	No
Has a galvanized trash	Yes	No	
Has riprap been installe	Yes	No	
Has maintenance access been provided?		Yes	No
Is it an open space deter	Yes	No	
If Yes, is a trickle channel included?		Yes	No



Has 97% volume of the 5-year storm event been designed to drain within 72 hours per Urban Drainage and Flood Control District (Mile High Flood District) criteria?	Yes	No
Has one foot of freeboard been provided above the computed 100-year water surface hydraulic grade line elevation?	Yes	No
Is the basin located in an area with a master Drainage plan(s)?	Yes	No
<b>If Yes</b> , does the release rate vary from the 5-year historic to the 100-year developed rates?	Yes	No
Ground Cover in Pond Sod Native Dirt Other		
Water Quality Volume		
Required acre ft $ft^3$ Available acre ft _	$_{\rm ft^3}$	
Storm Detention		
Required acre ft $ft^3$ Available acre ft_	$_{\rm ft^3}$	
Total Pond Volume		
Required acre ft ft <sup>3</sup> Available acre ft _	$_{} ft^3$	
UNDERGOUND DETENTION SYSTEMS		
Is underground detention utilized at this site?	Yes	No
Orifice Diameter (inches) or Height of Opening (inches)		
Is an orifice plate required/provided?	Yes	No
If Yes, does the orifice plate open into the detention pipes?	Yes	No
Has a Stormceptor been provided for the WQCV?	Yes	No
Are the pipe segments continuously sloped at 0.4 percent minimum to the outlet?	Yes	No
Has 97% volume of the 5-year storm event been designed to drain within		
72 hours per Urban Drainage and Flood Control District (Mile High Flood District) criteria?	Yes	No
Has maintenance access been provided?	Yes	No



I state that the above-referenced detention pond was constructed to City of Greeley approved construction drawings and standards, as designed by the project engineer, and as field staked by the project surveyor. All deviations to the approved construction drawings, standards, design and/or survey were so noted and were provided to the Project Engineer for acceptance and inclusion in the as-built detention pond information.

Owner Signature Authorized Representative Signature		Date		
		Date		
Company Name				
Address	City	State	Zip Code	
I state that this project was staked for co standards and in accordance with the pro detention pond certification was obtaine	oject design. I certify that	the field survey informatio	n for the as-built	
Surveyor Signature		Date		
Company Name		[SEAL]		
Address	City	State	Zip Code	
I have reviewed the as-built detention po certify that according to the information information complies with the City of G pond will function as designed.	provided and periodic fie	ld inspections, the as-built	detention pond	
Engineer Signature		Date		
Company Name		[SEAL]		
Address	City	State	Zip Code	

<u>Community Development + Engineering Development Review + 1100 10<sup>th</sup> Street, Greeley, CO 80631 + edr.comdev@greeleygov.com</u> A City Achieving Community Excellence